



ELECTRICAL CHARACTERISTICS: (PE-65565 COMPATIBLE)

- D.C.R. : 12-14 = 5-6 = 0.7 OHM MAX. 1-3 = 1.1 OHM MAX.
8-10 = 1.3 OHM MAX.
- INDUCTANCE : (<@100KHZ, 50mV>
PRI. = 1.2mH MIN.
- LEAKAGE INDUCTANCE : (<@100KHZ, 50mV>
PRI. (< SEC. SHORT) = 0.6 uH MAX.
- INTERWINDING CAP. : (<@100KHZ, 50mV>
PRI. - SEC. = 40pF MAX.
- TURNS RATIO : PIN 14-12 : PIN 1-3 = 1 : 1.15CT
PIN 5-7 : PIN 10-8 = 1CT : 2CT
- HI-POT : (<@1500 VAC, 1mA, 2SEC.) PRI. -SEC.

						Atech [®]		TITLE T1/E1/ISDN TRANSFORMER	
						Atech Technology Co., Ltd.		DWG. NO. ATPL-051	
						TEL:(02)2794-6667 FAX:(02)2794-6004			
A	PIN=3.0+/-0.35	04/22/99	PAIR		SUEDY	UNITS: M/M		SAFETY	
	RELEASE	02/10/99	PAIR		SUEDY	DATE		SHEET 1 OF 1	
NO.	DESCRIPTION	DATE	BY	CHK	APP'D	02/10/99		DRAW <i>Pair</i>	
REVISIONS									