



ELECTRICAL CHARACTERISTICS: (33818 COMPATIBLE)

1. D.C.R. : PIN 1-4 = 2 OHM MAX. PIN 10-7 = 0.55 OHM MAX.
2. INDUCTANCE (@1KHZ, 0.1 Vrms) : PIN 1-4 = 1.5 mH +/-7%
3. LEAKAGE INDUCTANCE (@10KHZ, 0.1Vrms) :
PIN 1-4 (W/H PIN 7-10 SHORT) = 15uH MAX.
4. INTERWINDING CAP. (@1KHZ, 0.1Vrms) : PIN 1-10 = 35pF MAX.
5. TURN RATIO (@3KHZ, 1Vrms) : PIN 1-4 : PIN 10-7 = 1.95 +/-2%
6. HI-POT (@1500 VAC, 1mA, 2SEC) : PRI - SEC

						Atech [®]		TITLE ADSL TRANSFORMER	
						Atech Technology Co., Ltd.		DWG. NO.	
						TEL:(02)2794-6667 FAX:(02)2794-8004		ATS-472C	
RELEASE		05/01/01	PAIR			UNITS:	SAFETY		SHEET 1 OF 1
NO.	DESCRIPTION	DATE	BY	CHK	APPD	M/M			DRAW
REVISIONS						DATE			<i>Pair</i>
						05/01/01			